



## A Homotopy Continuation Approach for Testing a Basic Analog Circuit

H. Vazquez-Leal<sup>1\*</sup>, A. Sarmiento-Reyes<sup>2</sup>, U. Filobello-Nino<sup>1</sup>, Y. Khan<sup>3</sup>,  
A. L. Herrera-May<sup>4</sup>, R. Castaneda-Sheissa<sup>1</sup>, V. M. Jimenez-Fernandez<sup>1</sup>,  
M. Vargas-Dorame<sup>1</sup> and J. Sanchez-Orea<sup>1</sup>

<sup>1</sup>*Electronic Instrumentation School and Atmospheric Sciences School, Universidad Veracruzana, Gonzalo Aguirre Beltrán S/N, Xalapa, Veracruz, Mexico 91000.*

<sup>2</sup>*Electronics Department, National Institute for Astrophysics, Optics and Electronics, Sta. Maria Tonantzintla, Puebla, Mexico 72000.*

<sup>3</sup>*Department of Mathematics, Zhejiang University, Hangzhou 310027, China.*

<sup>4</sup>*Micro and Nanotechnology Research Center, University of Veracruz, Boca del Rio, Veracruz, Mexico 94292.*

### Research Article

Received: 23 January 2013

Accepted: 16 March 2013

Published: 29 April 2013

### Abstract

The increase of complexity on integrated circuits has also raised the demand for new testing methodologies capable to detect functional failures within circuits before they reach the market. Hence, this work proposes to explore the use of homotopy as a tool for testing a basic analog circuit. The homotopy path is influenced by nonlinearities from the equilibrium equation of the circuit; this situation can be used to infer faults by detecting changes on the homotopy path. The concept was explored using numerical simulation of a simple test circuit; then comparing results for the circuit with and without faults, obtaining modifications on the homotopy path like: the final point, number of iterations, and the number of turning points.

Keywords: *Homotopy continuation, circuit testing, analog circuits.*

### 1 Introduction

The vertiginous increase in the number of transistors per integrated circuit and increase of nonlinearities, present in the circuit, due to the decrease in the physical dimensions of the transistors, makes the integrated circuit testing area a challenge for engineers and scientists. The cost of testing an integrated circuit can represent, in average, the 50% for the total production cost, or even in some cases (specific circuits) represents up to 70% [1,2,3,4]. The development of strategies for integrated circuits testing; especially analog circuits or mixed signal, still is an open problem. These kinds of tests must assure complete functionality, quality and performance

\*Corresponding author: [hvazquez@uv.mx](mailto:hvazquez@uv.mx);

criterion, for each functional block, and the correct operation for the complete system, as well. Analog circuits are characterized by nonlinear characteristics, noise, bandwidth, and a wide variety of performance parameters. All of this becomes a constraint when developing fault simulators and reliable testing algorithms.

The homotopy continuation methods have been applied to various branches of science and engineering [5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22]. In [23] was presented a verification method of diagnosis for analog piecewise linear circuits based on the homotopy approach; here, the circuit is tested by homotopy transforming it from the fault-less state into a fault state. Thus, by monitoring electric variables, it is possible to detect value changes between states. Nevertheless, this testing approach requires PWL modelling of the circuit and ignores the entire behaviour of the homotopy path; thus, only cares about the nominal operating points between states.

Homotopy paths tend to be attracted by the traces formed by the intersection of equations of the equilibrium equation [24]. Hence, if faults directly affect the nonlinearities of the equilibrium equation, therefore, the homotopy path is influenced by nonlinearities from the equilibrium equation; this situation can be used to infer faults detecting behaviour changes on the homotopy path. Therefore, this work will present a study on how the homotopy path is affected by faults during DC analysis in parameters like: final point, number of iterations, and the number of turning points obtained for a basic multi stable [25,26,27] circuit in fault-less and fault state.

This paper is organized as follows. In Section 3, we present the basic idea of proposed double bounded homotopy. Section 4 shows some numerical simulations to study the effects of faults over homotopy trajectories and discuss the results. Finally, a brief conclusion is given in Section 5.

## 2 Basis of Homotopy Continuation Methods

The homotopy continuation methods (HCM) are a continuous transformation from one trivial problem (simple to solve) to the study problem (hard to solve). These kind of methods are applied to such diverse problems like: multi-stable electronic circuits [16,28,29,30,31,32,33,34,35,36,37,38], Toeplitz systems, nonlinear control synthesis [39], stochastic economies [40], load flow solutions of ill-conditioned power systems [41], discretization of ordinary differential equations [42], inverse kinematics problems [20,43,44,45,46,47,48,49], optimization [50,51], among many others.

First, we define our problem to solve, the nonlinear algebraic equation

$$f(x) = 0, \quad f: \mathbb{R}^n \rightarrow \mathbb{R}^n, \quad (2.1)$$

where  $x$  denotes the variables of the problem and  $n$  is the total number of those variables.

Then, in order to solve (2.1), we propose the following homotopy map [19,21,22,28,29,31,32,46,50,51,52,53,54,55,56,57,58,59,60,61] as

$$H(f(x), \lambda) = 0, \quad H: \mathbb{R}^{n+1} \rightarrow \mathbb{R}^n, \quad (2.2)$$

where  $\lambda$  is the homotopy parameter.

Equation (2.2) represents any homotopy formulation that fulfils the following conditions:

- For  $\lambda = 0$ , solution for  $H^{-1}(0)$  is known or easily found using numerical methods.
- For  $\lambda = 1$ ,  $H(f(x), 1) = f(x)$ . It means that at  $\lambda = 1$  the solution, or solutions, for  $f(x)$  can be found.
- The path for  $H^{-1}(0)$  is a continuous function of  $\lambda$  with  $0 \leq \lambda \leq 1$ .

The homotopy path is the solution set for  $H^{-1}(0)$ , which represents a continuous curve that can be traced by numerical continuation techniques or path following methods [5,16,21,33,47,48,62,63,64].

A possible homotopy map is

$$H(f(x), \lambda) = \lambda f(x) + (1 - \lambda)g(x) = 0, \quad (2.3)$$

where  $g(x)$  is a problem simple to solve.

If  $\lambda = 0$ , the homotopy path is reduced to the trivial problem

$$H(x, 0) = g(x) = 0. \quad (2.4)$$

When  $\lambda = 1$ , the sought solution is achieved

$$H(x, 1) = f(x) = 0. \quad (2.5)$$

This process is a continuous deformation from  $\lambda = 0$  to  $\lambda = 1$ , transforming the trivial problem  $g(x) = 0$  into the original problem  $f(x) = 0$ .

The success of finding the sought solution depends on several factors:

- Find the methodology to establish the right NAEs which best describe the physical behaviour of the problem under study. The proper formulation of those NAEs can help to guarantee, or increase the probability, of success of the homotopy simulation [cite].
- The behaviour of different homotopy maps change for specific problems.
- Constructing an adequate numerical continuation algorithm. Even if the homotopy path and NAEs are properly established with the guarantee of global convergence [31,65], a poorly chosen numerical continuation scheme can lead to a failure [5,16,21,33,62,64].

Homotopy is capable to find multiple solutions; nevertheless, the ability to find all or even one of the solutions depends on the kind of homotopy, the selected continuation technique [16,33], and on the type of nonlinear circuit. To be able to find multiple solutions, all the steps for the numerical continuation method [5,16,33] must be applied until the root at  $\lambda = 1$  is located. Nonetheless, the tracing technique continues its route for values  $\lambda > 1$  up to a turning point and then returns back to  $\lambda = 1$  finding the next solution (when another solution exist). In Fig. 1 a homotopy path is shown; here, the path locates solutions at  $x_1^*$ ,  $x_2^*$ ,  $x_3^*$ , and  $x_4^*$ . However, after crossing the root  $x_4^*$  the path continues indefinitely as apparently there are no more solutions that produce more crossings at  $\lambda = 1$ .

### 3 Proposed DBPH Method for Analog Circuit Testing

In [28,29] was introduced the idea to create a double bounded homotopy; a way to cope with the stop criterion is by bending the open solution path to convert it into a closed path as depicted in Fig. 2. This is achieved by setting four solution lines in terms of a fixed separation  $d$  as shown in Fig. 2. Further properties of this scheme are given as follows:

- At  $\lambda_i = d/2$  the symmetry axis is defined (starting point  $A$ ).
- For  $\lambda_i$  the solution for  $H^{-1}(0)$  is known or computationally simple to obtain. This point is known as the initial point for the homotopy  $(\lambda_i, x_i)$ .
- At  $\lambda = 0$ , the homotopy formulation becomes

$$H(f(x), 0) = f(x) = 0.$$

This means that at  $\lambda = 0$  all solutions for  $f(x)$  are located.

- Similarly, at  $\lambda = d$ , the homotopy fulfils

$$H(f(x), d) = f(x) = 0,$$

which means that at  $\lambda = d$  all solutions for  $f(x)$  are located.

- The expressions above define two symmetric branches; the left branch for  $0 \leq \lambda \leq \lambda_i$  and the right branch for  $\lambda_i \leq \lambda \leq d$ .
- When a given branch reaches again the value  $\lambda_i$  (final point  $B$ ), the homotopy procedure stops, achieving a simple stop criterion. In Fig. 2, the path starts at point  $A$  and stops at point  $B$ .
- The path for the inverse function  $H^{-1}(0)$  is a continuous function for  $\lambda$  in the range of  $0 \leq \lambda \leq d$ .





Fig. 1. Stop criterion problem

Not only the properties shown above yield a simple and reliable stop criterion, but they also establish two solution lines that, in fact, limit the swing of the homotopy parameter variation. Fig. 2 shows how the homotopy path starts at  $A = (d/2, x_i)$  on the symmetry axis, finds two roots (in solution line  $\lambda = d$ ) and finishes when a new crossing through the symmetry axis at  $B = (d/2, x_f)$  is detected; it means that tracing the symmetrical branch has been completed and the stop criterion has been fulfilled.



**Fig. 2. Double bounded homotopy with four solution lines**

The DBPH homotopy method [29] is a kind of double bounded homotopy, which is proposed to infer the existence of faults

$$f(x) = (\lambda + d)\lambda(\lambda - d)(\lambda - 2d)(x - x_i)(x - x_f) - c \left(\lambda - \frac{d}{2}\right)^2 f(x)^2 \tag{3.1}$$

Where  $\lambda$  is the homotopy parameter,  $f(x)$  is the equilibrium equation for the circuit,  $d$  is a constant that represents separation between solution lines ( $\lambda = -d, \lambda = 0, \lambda = d,$  and  $\lambda = 2d$ )[29],  $x_i$  represents the initial point,  $x_f$  represents the final point of the path at  $\lambda = d/2$  (symmetry axis), and  $c$  is another constant.

This method is characterized by creating an arbitrary closed path around the symmetry axis; this situation allows for an arbitrary set of starting points for the path.

A fault or fabrication defect can be ideally modelled as the unexpected existence of spurious resistors between nodes in the circuit. It may happen, as an example, the appearance of a spurious resistor between the  $i$ -th node and ground. This will affect, directly, the equilibrium equation, in particular the nodal equation  $f_i$ . As smooth as this change may appear, it could unchain a series of changes in the shape of the homotopy path. This way, it is possible to correlate an alteration in the homotopy path with the presence of faults.

In this work we use the Euler-predictor and Newton-corrector scheme described in [16], which is based on other reports from [5,64], to obtain the numerical simulations.

### 4 Numerical Simulation and Discussion

The benchmark circuit with bipolar transistors in Fig. 3 was reported and solved using HCM methods [29,30]. The Ebers-Moll [31] model is used for all the transistors; and the equation for the model is given as

$$\begin{bmatrix} i_E \\ i_C \end{bmatrix} = \begin{bmatrix} 1 & -0.01 \\ -0.99 & 1 \end{bmatrix} \begin{bmatrix} 10^{-9}(e^{(40v_{be})} - 1) \\ 10^{-9}(e^{(40v_{bc})} - 1) \end{bmatrix},$$

where  $i_E$  represents the emitter current,  $i_C$  represents the collector current,  $v_{be}$  is the voltage drop between base and emitter, and  $v_{bc}$  is the voltage drop between base and collector.




Fig. 3. Circuit under test (contains three operating points).  $R_f = 11k\Omega$  models a possible fault between node  $v_8$  and ground

Table 1. Initial point ( $x_A$  and  $x_B$ ) and final points ( $x_{f_{1x}}$  and  $x_{f_{2x}}$ ) for the paths. b) Solutions for the circuit with ( $S_{xF}$ ) and without fault ( $S_x$ )

(a)															
$x$	$v_1$	$v_2$	$v_3$	$v_4$	$v_5$	$v_6$	$v_7$	$v_8$	$v_9$	$v_{10}$	$v_{11-13}$	$I_{V_{CC}}$	T.P.	Iter.	
$x_A$	+	-	+	-	-	-	-	-	-	+	-	+	-	-	
$x_{f_{1A}}$	+	+	+	+	+	+	+	+	+	+	+	-	5	15522	
$x_{f_{2A}}$	+	+	+	+	-	+	+	+	+	+	+	-	5	12753	
$x_B$	-	-	+	-	-	-	-	-	-	+	-	+	-	-	
$x_{f_{1B}}$	+	-	+	-	-	-	+	-	+	+	-	-	11	28532	
$x_{f_{2B}}$	+	+	+	+	-	+	-	-	-	+	-	-	15	26726	

(b)

R.P.	$v_1$	$v_2$	$v_3$	$v_4$	$v_5$	$v_6$	$v_7$
$S_1$	12	0.405	0.366	0.685	0.349	6.796	0.070
$S_{1F}$	12	0.40237	0.36085	0.68080	0.34736	6.40881	0.06886
$S_2$	12	0.883	0.278	0.590	0.631	0.812	0.315
$S_{2F}$	12	0.86554	0.27808	0.59147	0.62122	0.81387	0.30548
$S_3$	12	5.995	0.085	0.368	0.712	0.436	0.390
$S_{3F}$	12	6.06730	0.08213	0.36504	0.70724	0.43067	0.38564

R.P.	$v_8$	$v_9$	$v_{10}$	$v_{11}$	$v_{12}$	$v_{13}$	$I_E$
$S_1$	7.038	11.839	0.4E-5	0.039	0.039	0.321	-0.0085
$S_{1F}$	3.14292	11.7142	0.3E-5	0.03884	0.03874	0.32149	-0.00874
$S_2$	1.074	11.647	0.4E-5	0.039	0.039	0.321	-0.0100
$S_{2F}$	1.06759	11.6472	0.3E-5	0.03884	0.03874	0.32149	-0.01009
$S_3$	0.699	11.635	0.4E-5	0.039	0.039	0.321	-0.0089
$S_{3F}$	0.68858	11.6350	0.3E-5	0.03884	0.03874	0.32149	-0.00889

As for the diode, the model is given by

$$i_d = 10^{-9}(e^{40u} - 1),$$

where u is the voltage drop between diode terminals and id is the current through the diode.

First, the equilibrium equation for the fault-free circuit is formulated using the modified nodal analysis [32]; the result is a system having 14 equations and 14 variables

$$\begin{aligned}
 f_1) & (1.85E - 3)v_1 - (2.5E - 4)v_2 - (2.5E - 4)v_6 - (1E - 3)v_9 - (2.5E - 4)v_{12} - \\
 & (1E - 4)v_{13} + i_E = 0, \\
 f_2) & -(2.5E - 4)v_1 + (3.75E - 4)v_2 - (1.25E - 4)v_5 + (9.9E - 9)\exp(40v_4 - \\
 & 40v_3) + (1E - 10) - (1E - 8)\exp(40v_4 - 40v_2) = 0, \\
 f_3) & (1E - 2)v_3 - (1E - 8)\exp(40v_4 - 40v_3) + (9.9E - 9) + (1E - 10)\exp(40v_4 - \\
 & 40v_2) = 0, \\
 f_4) & (1.25E - 4)v_4 - (1.25E - 4)v_6 + (1E - 10)\exp(40v_4 - 40v_3) - (1E - 8) + \\
 & (9.9E - 9)\exp(40v_4 - 40v_2) = 0, \\
 f_5) & -(1.25E - 4)v_2 + (1.25E - 4)v_5 + (1E - 10)\exp(40v_5 - 40v_7) - (1E - 8) + \\
 & (9E - 9)\exp(40v_5 - 40v_6) = 0, \\
 f_6) & -(2.5E - 4)v_1 - (1.25E - 4)v_4 + (3.75E - 4)v_6 + (9.9E - 9)\exp(40v_5 - \\
 & 40v_7) + (1.01E - 8) - (1E - 8)\exp(40v_5 - 40v_6) - (1E - 8)\exp(40v_8 - \\
 & 40v_6) = 0, \\
 f_7) & (1E - 2)v_7 - (1E - 8)\exp(40v_5 - 40v_7) + (9.9E - 9) + (1E - 10)\exp(40v_5 - \\
 & 40v_6) = 0, \\
 f_8) & (30E3)^{-1}v_8 - (30E3)^{-1}v_9 + (1E - 8)\exp(40v_8 - 40v_6) - (1E - 8) = 0, \\
 f_9) & -(1E - 3)v_1 - (30E3)^{-1}v_8 + (31)(30E3)^{-1}v_9 + (9.9E - 9)\exp(40v_{11} - \\
 & 40v_{10}) + (1E - 10) - (1E - 8)\exp(40v_{11} - 40v_9) = 0, \\
 f_{10}) & (1E - 2)v_{10} - (1E - 8)\exp(40v_{11} - 40v_{10}) + (9.9E - 9) + \\
 & (1E - 10)\exp(40v_{11} - 40v_9) = 0, \\
 f_{11}) & (1E - 4)v_{11} - (1E - 4)v_{12} + (1E - 10)\exp(40v_{11} - 40v_{10}) - (1E - 8) + \\
 & (9.9E - 9)\exp(40v_{11} - 40v_9) = 0, \\
 f_{12}) & -(2.5E - 4)v_1 - (1E - 4)v_{11} + (3.5E - 4)v_{12} + (9.9E - 9)\exp(40v_{13}) +
 \end{aligned}
 \tag{4.1}$$

$$\begin{aligned}
 & (1E - 10) - (1E - 8)\exp(40v_{13} - 40v_{12}) = 0, \\
 f_{13}) & -(1E - 4)v_1 + (1.1E - 3)v_{13} + (1E - 10)\exp(40v_{13}) - (1E - 8) + \\
 & (9.9E - 9)\exp(40v_{13} - 40v_{12}) = 0, \\
 f_{14}) & v_1 - 12 = 0.
 \end{aligned}$$

Fig. 3 shows a hypothetical resistor ( $R_f = 11k\Omega$ ) representing a fault between node 8 and ground; acting as a currentleak to the ground. The existence of the fault implies that, for the circuit in a fault state, this term will be added

$$+ \frac{1}{R_f} v_8$$

to nodal equation  $f_8$  within equilibrium equation (4.1).

Initial point for DBPH homotopy is chosen at  $\pm 13V$ , for nodal values, and  $\pm 13A$  for the current  $I_{VCC}$  of voltage source  $V_{CC}$ . Initial points  $x_A$  and  $x_B$  are shown in Table 1(a), just marking the corresponding sign (plus sign means +13, while minus sign means -13; the units would be Volts or Amperes depending whether is voltage or current, respectively).

Now, DBPH homotopy is applied to solve the circuit; the proposed homotopy formulation is expressed as follows

$$\begin{aligned}
 H_1) & (\lambda_1 + 1)\lambda_1(\lambda_1 - 1)(\lambda_1 - 2)(v_1 - 13)(v_1 + 13) + (\lambda_1 - 0.5)^2 f_1^2 = 0, \\
 H_2) & (\lambda_1 + 1)\lambda_1(\lambda_1 - 1)(\lambda_1 - 2)(v_2 - 13)(v_2 + 13) + (\lambda_1 - 0.5)^2 f_2^2 = 0, \\
 & \vdots \\
 H_{13}) & (\lambda_1 + 1)\lambda_1(\lambda_1 - 1)(\lambda_1 - 2)(v_{13} - 13)(v_{13} + 13) + (\lambda_1 - 0.5)^2 f_{13}^2 = 0, \\
 H_{14}) & (\lambda_1 + 1)\lambda_1(\lambda_1 - 1)(\lambda_1 - 2)(I_E - 13)(I_E + 13) + (\lambda_1 - 0.5)^2 f_{14}^2 = 0,
 \end{aligned} \tag{4.2}$$

where, by simplification, parameters  $d$  and  $C$  are both set to 1.

After numerical simulation there are some aspects of the results to be noticed:

1. Two sets of simulations ( $A$  and  $B$ ) were performed, using two different initial points ( $x_A$  and  $x_B$ ) for the circuits with and without fault (Table 1(a) and Figs. 4 and 5). For both cases, differences on the final point of the path were detected. For instance, between final points  $x_{f_{1A}}$  (non-fault circuit) and  $x_{f_{2A}}$  (fault circuit) there is a difference on the final point for nodal voltage  $v_5$ . Also, for final points  $x_{f_{1B}}$  (non-fault circuit) and  $x_{f_{2B}}$  (fault circuit) a noticeable difference is detected because sign changes for the final nodal voltages  $v_2, v_4, v_6, v_7$ , and  $v_9$ . Therefore, a fault can modify the final point of the homotopy path; this situation can be used as criteria to detect faults.
2. For all cases (circuits with and without fault) three operating points were located (Table 1(b)). Therefore, the number of located roots may not necessarily be used as an indicator or criterion of the existence of faults. Nevertheless, between solutions  $S_1$  and  $S_{1F}$  a noticeable change on nodal voltage  $v_8$  is perceived because the fault is located, precisely, between  $v_8$  and ground.
3. The shape of the homotopy path for the circuit without fault (Fig. 4(a), (b) and Fig. 5(a), (b)), differs with respect to the homotopy path for a fault circuit (Fig. 4(c), (d) and Fig. 5(c), (d)). The change with respect to the homotopy may be quantified by monitoring the number of iteration steps for the numerical continuation method [28,33] and the number of turning



points as a reference or indicator for fault detection. In Table 1(a) can be seen that the number of iterations and the number of turning points vary for the homotopy simulation between the circuits with and without fault. This situation confirms the existence of differences in the nonlinearities of the equilibrium equation for circuits with and without fault; differences that produce, in the end, changes on the homotopy paths.





Fig. 4. Homotopy paths  $\lambda - v_2$  for initial point at  $x_A$ : (a), (b) the fault-free circuit and (c), (d) fault circuit



**Fig. 5. Homotopy paths  $\lambda - v_2$  for initial point at  $x_B$ : (a), (b) the fault-free circuit and (c), (d) fault circuit**

This work exhibited that aspects like final point for the homotopy path; number of turning points, and number of iterations can reflect the existence of circuit faults. Also, the present study can be extended to use other homotopies like Newton homotopy [33], fixed point [30], among others, in order to determine which homotopy is the most sensitive to faults. In addition, future research may extend the application of the proposed study to practical switching circuits and, in particular, fault models [66,67].

### 5 Conclusion

This work deals with the application of homotopy to the analog circuit testing area, proposing the feasibility to detect the presence of faults using the homotopy path analysis, involving turning points, number of iterations, and final point of the path. Results indicate that the aforementioned aspects undergo notorious changes comparing circuit simulations with and without fault.

Therefore, it is important to continue the research in order to implement a systematic criterion to locate faults.

## **Acknowledgements**

The authors wish to acknowledge Rogelio A. Callejas-Molina and Roberto Ruiz-Gomez for their technical support. Besides, this work has been supported by CONACYT Mexico under research grant CB-2010-01#157024.

## **Competing Interests**

Authors have declared that no competing interests exist.

## **References**

- [1] International Technology Roadmap for Semiconductors (ITRS), Test and Test Equipment, (2001 Edition and 2002 Updated Edition). Accessed 10 January 2013. Available: <http://public.itrs.net>.
- [2] Sachdev M. A realistic defect oriented testability methodology for analog circuits. *J Electron Test.* 1995;6:265–276.
- [3] Yarmolik VN, Shmidman AM. Universal module for BIST of mixed signal circuits. 2nd IMTSW. 1996;104–108.
- [4] Milor L, Sangiovanni-Vincentelli A. Optional test set design for analog circuits. ICCAD-90. 1990;294–197.DOI:10.1109/ICCAD.1990.12990.
- [5] Allgower EL, Georg K. Continuation and path following. *Acta Numer.* 1993;2:1–64.
- [6] Di Rocco S, Eklund D, Peterson C, Sommese AJ. Chern numbers of smooth varieties via homotopy continuation and intersection theory. *J Symb Comput.* 2011;46:23–33.
- [7] Jalali F, Seader JD, Khaleghi S. Global solution approaches in equilibrium and stability analysis using homotopy continuation in the complex domain. *Comput Chem Eng.* 2008;32:2333–2345.
- [8] Kuroki W, Yamamura K, Furuki S. An efficient variable gain homotopy method using the SPICE-oriented approach. *IEEE T Circuits-II.*2007;54:621–625.
- [9] Ma W, Trajkovic L, Mayaram K. HomSSPICE: a homotopy-based circuit simulator for periodic steady-state analysis of oscillators. *ISCAS-2002.* 2002:I-645–I-648.
- [10] Malinen I, Tanskanen J. Homotopy parameter bounding in increasing the robustness of homotopy continuation methods in multiplicity studies. *Comput Chem Eng.* 2010;34:1761–1774.

- [11] Ogrodzki J. Circuit simulation: methods and algorithms. 1st ed. Boca Raton: CRC Press Inc.; 1994.
- [12] Roychowdhury J, Melville R. Homotopy techniques for obtaining a DC solution of large-scale MOS Circuits. 33<sup>rd</sup> DAC Conference. 1996;286–291.
- [13] Roychowdhury J, Melville R. Delivering global DC convergence for large mixed-signal circuits via homotopy/continuation methods. IEEE T Comp Aid D. 2006;25:66–78.
- [14] Sarmiento-Reyes A, Murphy-Arteaga RS, Vazquez-Leal H. A MAPLE-based homotopic circuit simulation package. MWSCAS-2001. 2001:33–36.
- [15] Varedi SM, Daniali HM, Ganji DD. Kinematics of an offset 3-UPU translational parallel manipulator by the homotopy continuation method. Nonlinear Anal-Real. 2009;10:1767–1774.
- [16] Vazquez-Leal H, Hernandez-Martinez L, Sarmiento-Reyes A, Castaneda-Sheissa R. Numerical continuation scheme for tracing the double bounded homotopy for analysing nonlinear circuits. ICCAS-2005. 2005:1122–1126.DOI:10.1109/ICCCAS.2005.1495304.
- [17] Wolf DM, Sanders SR. Multiparameter Homotopy Methods for finding DC operating points of Nonlinear Circuits. IEEE T Circuits-I. 1996;43:824–837.
- [18] Wu TM. A study of convergence on the Newton-homotopy continuation method. Appl Math Comput. 2005;168:1169–1174.
- [19] Wu TM. Solving the nonlinear equations by the Newton-homotopy continuation method with adjustable auxiliary homotopy function. Appl Math Comput. 2006;173:383–388.
- [20] Wu TM. The inverse kinematics problem of spatial 4P3R robot manipulator by the homotopy continuation method with an adjustable auxiliary homotopy function. Nonlinear Anal-Theor. 2006;64:2373–2380.
- [21] Watson LT. Numerical linear algebra aspects of globally convergent homotopy methods. SIAM Rev. 1986;28(4):529–545.DOI:10.1137/1028157.
- [22] Watson LT. Probability-one homotopies in computational science. J Comput Appl Math. 2002;140(1-2):785–807.
- [23] Robotycki A, Zielonko R. Fault diagnosis of analog piece wise linear circuits based on homotopy. IEEE T Instrum Meas. 2002;51:876–881.
- [24] Chao KS, Liu DK, Pan CT. A systematic search method for obtaining multiple solutions of simultaneous nonlinear equations. IEEE T Circuits Syst. 1975;22:748–753.
- [25] Goldgeisser LB, Green MM. A novel algorithm that finds multiple operating points of nonlinear circuits automatically. ISCAS-98. 1998;558–561.

- [26] Goldgeisser LB, Green MM. A Method for automatically finding multiple operating points in nonlinear circuits. *IEEE T Circuits-I*. 2005;52:776–784.
- [27] Lagarias JC, Trajkovic L. Bounds for the Number of DC Operating Points of Transistor Circuits. *IEEE T Circuits-I*. 1999;46:1216–1221.
- [28] Vazquez-Leal H, Castaneda-Sheissa R, Yildirim A, Khan Y, Sarmiento-Reyes A, Jimenez-Fernandez V, et. al. Biparameter homotopy-based direct current simulation of multistable circuits. *J Math Comput*. 2012;3(2):137–150.
- [29] Ushida A, Yamagami Y, Nishio Y, Kinouchi I, Inoue Y. An efficient algorithm for finding multiple DC solutions based on the SPICE-oriented Newton homotopy method. *IEEE T Comput Aid D*. 2002;3(21):337–348.
- [30] Watson LT. Probability-one homotopies in computational science. *J Comput Appl Math*. 2002;1–2(140):785–807.
- [31] Melville RC, Trajkovic L, Fang SC, Watson LT. Artificial parameter homotopy methods for the DC operating point problem. *IEEE T Comput Aid D*. 1993;6(12):861–877.
- [32] Vazquez-Leal H, Hernandez-Martinez L, Sarmiento-Reyes A, Castaneda-Sheissa R, Gallardo-Del-Angel A. Homotopy method with a formal stop criterion applied to circuit simulation. *IEICE Electron E*. 2011;8:1808–1815.
- [33] Vazquez-Leal H, Castaneda-Sheissa R, Rabago-Bernal F, Hernandez-Martinez L, Sarmiento-Reyes A, Filobello-Nino U. Powering multiparameter homotopy-based simulation with a fast path-following technique. *ISRN Appl Math*. 2011;7pages. Article ID: 610637.
- [34] Yamamura K, Sekiguchi T, Inoue Y. A fixed-point homotopy method for solving modified nodal equations. *IEEE T Circuits-I*. 1999;46(6):654–664.
- [35] Vandenberghe L, Vandewalle J. Variable dimension algorithms for solving resistive circuits. *Int J Circ Theor App*. 1990;18(5):443–474.
- [36] Geogghan R, Lagarias JC, Melville RC. Threading homotopies and dc operating points of nonlinear circuits. *SIAM J Optim*. 1998;9(1):159–178.
- [37] Wolf DM, Sanders SR. Multiparameter homotopy methods for finding dc operating points of nonlinear circuits. *IEEE T Circuits-I*. 1996;43(10):824–837.
- [38] Lee J, Chiang HD. Constructive homotopy methods for finding all or multiple dc operating points of nonlinear circuits and systems. *IEEE T Circuits-I*. 2001;48(1):51–66.
- [39] Reif K, Weinzierl K, Zell A, Unbehauen R. A homotopy approach for nonlinear control synthesis. *IEEE T Automat Contr*. 1998;43(9):1311–1318.
- [40] Kubler F, Schmedders K. Computing equilibria in stochastic finance economies. *Comput Econ*. 2000;15(1–2):145–172.

- [41] Chen HC, Chung LY. Load flow solution for ill-conditioned by homotopy continuation method. *Int J Power and Energy Syst.* 2000;28(1):99–106.
- [42] Dratman E, Matera G. On the solution of the polynomial systems arising in the discretization of certain ODEs. *Computing.* 2009;85(4):301–337.
- [43] Brock O, Khatib O. Real-time replanning in high-dimensional configuration spaces using sets of homotopic paths. *ICAR-2000.* 2000:550–555.
- [44] Lee E, Mavroidis C. Solving the geometric design problem of spatial 3R robot manipulators using polynomial homotopy continuation. *J Mech Design.* 2002;124:652–661.
- [45] Wu TM. Searching all the roots of inverse kinematics problem of robot by homotopy continuation method. *J Appl Sci.* 2005;5(4):666–673.
- [46] Watson LT. Globally convergent homotopy algorithms for nonlinear systems of equations. *Nonlinear Dynam.* 1990;1(2):143–191.
- [47] Bates DJ, Hauenstein JD, Sommese AJ, Wampler II CW. Adaptive multiprecision path tracking. *SIAM J Numer Anal.* 2008;46(2):722–746.
- [48] Bates DJ, Hauenstein JD, Sommese AJ, Wampler CW. Step size control for adaptive multiprecision path tracking. *Contemp Math.* 2009;496:21–31.
- [49] Morgan A, Sommese A. Computing all solutions to polynomial systems using homotopy continuation. *Appl Math Comput.* 1987;24(2):115–138.
- [50] Watson LT, Haftka RT. Modern homotopy methods in optimization. *Comput Method Appl M.* 1989;74(3):289–305.
- [51] Pérez V, Renaud J, Watson L. Homotopy curve tracking in approximate interior point optimization. *Optim Eng.* 2009;10(1):91–108.
- [52] Kuno M, Seader JD. Computing all real solutions to systems of nonlinear equations with a global fixed-point homotopy. *Ind Eng Chem Res.* 1988;27:1320–1329.
- [53] Sosonkina M, Watson LT, Stewart DE. Note on the end game in homotopy zero curve tracking. *ACM Trans Math Softw.* 1996;22(3):281–287.
- [54] Watson LT, Siegfried M, Holzer M, Hansen MC. Tracking nonlinear equilibrium paths by a homotopy method. *Nonlinear Anal-Theor.* 1983;7(11):1271–1282.
- [55] Watson LT. Probability-one homotopies in computational science. *J Comput Appl Math.* 2002;140(1-2):785–807.
- [56] Ahuja K, Watson L, Billups S. Probability-one homotopy maps for mixed complementarity problems. *Comput Optim Appl.* 2008;41(3):363–375.

- [57] Watson LT. Globally convergent homotopy methods. In: C.A. Floudas, P.M. Pardalos, editors. Encyclopedia of Optimization. New York: Springer; 2009.
- [58] Wu TM. A technique to avoid divergence for planar and spatial Newton-homotopy continuation method. J Appl Sci. 2005;5(6):1036–1040.
- [59] Wu TM. A modified formula of ancient Chinese algorithm by the homotopy continuation technique. Appl Math Comput. 2005;165:31–35.
- [60] Wu TM. The secant-homotopy continuation method. Chaos Soliton Fract. 2007;32:888–892.
- [61] Abbasbandy S, Tan Y, Liao SJ. Newton-homotopy analysis method for nonlinear equations. Appl Math Comput. 2007;188:1794–1800.
- [62] Watson LT, Billups SC, Morgan AP. Algorithm 652: HOMPACT: a suite of codes for globally convergent homotopy algorithms. ACM Trans. Math. Softw. 1987:281–310.
- [63] Bates DJ, Hauenstein JD, Sommese AJ. Efficient path tracking methods. Numer Algorithms. 2011;58(4):451–459.
- [64] Allgower EL, Georg K. Numerical path following. 1994.
- [65] Trajkovic L, Melville RC, Fang SC. Passivity and no-gain properties establish global convergence of a homotopy method for DC operating points. IEEE ISCAS-90. 1990;2:914–917.
- [66] Chiarantoni E, Politi T, Vergura S, Fornarelli G. Applying fixed point homotopy for nonlinear DAEs deriving from switching circuits. Future Gener Comp Sy. 2003;19(3):431–441.
- [67] Acciani G, Chiarantoni E, Fornarelli G, Vergura S. Transient analysis of three-phase non-linear circuits by means of homotopy method. IEEE ISIE-06. 2006;2631–2636.

---

© 2013 Vazquez-Leal et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Peer-review history:**

The peer review history for this paper can be accessed here (Please copy paste the total link in your browser address bar)

[www.sciencedomain.org/review-history.php?iid=225&id=6&aid=1299](http://www.sciencedomain.org/review-history.php?iid=225&id=6&aid=1299)